

Barrier® Patio ALVERSA

Barrier ALVERSA can compete as a parallel sliding system or as a swing-and-slide system. Can be made on all series of BARRIER profiles (according to the corresponding glass packs). Comfort and safety with advanced technology for high-quality sliding windows and doors.

DESIGN DIMENSIONS

Alversa Air Com

Roto Patio system with swing ventilation and sash stop system on closing due to integrated damping elements (in carrier and sliding scissor)

- sash rebate width: 720 –2,000 mm
- sash rebate height: 900 -2,700 mm
- sash weight up to a maximum of 200 kg

Alversa KS

Roto Patio system Alversa KS parallel sliding and swing ventilation.

- sash rebate width: 600 -1,650 mm sash
- rebate height: 600 -2,350 mm sash weight
- up to a maximum of 160 kg



Barrier[®] Smart SLIDE 75

Operation efficiency

Smart Slide 75 sliding doors represent a new generation in the field of sliding doors with parallel sliding. Above all, they are characterized by excellent technical solutions and ease of operation.

STABILITY AND THE POSSIBILITY OF OBTAINING LARGE STRUCTURES

Wide glass surfaces are very fashionable. Smart Slide 75 sliding doors rise to the challenge, allowing the realization of a glazed structure with a total size of 4 x 2.3 m.

Profile sash width 70 mm

Value of the thermal transfer coefficient $U_f = 1.3 \text{ W/m}^2\text{K}$

Glass thickness up to 40 mm

Modern classic-line design

Hidden accessories

The smart-slide door comes in two designs A or C:

A: 2 leaves with one mobile swing leaf

C: 4 leaves with two mobile central swing leaves

Design dimensions:

- ▶ Design A – 3000 mm x 2500 mm
- ▶ Design C – 4000 mm x 2500 mm

